

EQT PRODUCTION

Wetzel County, WV

Tesla

Tesla 9H L-004774 - Slot 9H SHL


Main

Design: Tesla 9H As Drilled

Survey Report - Geographic

14 March, 2025

RECEIVED
Office Of Oil and Gas
OCT 17 2025
WV Department of
Environmental Protection



www.scientificdrilling.com

09/04/2026

Survey Report - Geographic

Company:	EQT PRODUCTION	Local Co-ordinate Reference:	Well Tesla 9H L-004774 - Slot 9H SHL
Project:	Wetzel County, WV	TVD Reference:	KB@28 @ 1348.0usft
Site:	Tesla	MD Reference:	KB@28 @ 1348.0usft
Well:	Tesla 9H L-004774	North Reference:	Grid
Wellbore:	Main	Survey Calculation Method:	Minimum Curvature
Design:	Tesla 9H As Drilled	Database:	EQT

Project	Wetzel County, WV		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	West Virginia North 4701		

Site	Tesla				
Site Position:		Northing:	370,534.31 usft	Latitude:	39° 30' 47.365 N
From:	Map	Easting:	1,722,282.47 usft	Longitude:	80° 29' 3.722 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-0.63 °

Well	Tesla 9H L-004774 - Slot 9H SHL					
Well Position	+N/-S	0.0 usft	Northing:	370,534.31 usft	Latitude:	39° 30' 47.365 N
	+E/-W	0.0 usft	Easting:	1,722,282.47 usft	Longitude:	80° 29' 3.722 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	1,320.0 usft

Wellbore	Main				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	User Defined	3/3/2025	-8.88	66.22	51,596.90000000

Design	Tesla 9H As Drilled			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth:
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	

RECEIVED
Office Of Oil and Gas
OCT 17 2025
0.0
WV Department of
Environmental Protection

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	370,534.31	1,722,282.47	39° 30' 47.365 N	80° 29' 3.722 W
115.0	0.28	309.03	115.0	0.2	-0.2	370,534.49	1,722,282.25	39° 30' 47.366 N	80° 29' 3.725 W
215.0	0.32	312.64	215.0	0.5	-0.6	370,534.83	1,722,281.86	39° 30' 47.370 N	80° 29' 3.730 W
315.0	0.26	349.60	315.0	0.9	-0.9	370,535.25	1,722,281.61	39° 30' 47.374 N	80° 29' 3.733 W
415.0	0.32	356.20	415.0	1.4	-0.9	370,535.75	1,722,281.55	39° 30' 47.379 N	80° 29' 3.734 W
515.0	0.30	5.39	515.0	2.0	-0.9	370,536.29	1,722,281.56	39° 30' 47.384 N	80° 29' 3.734 W
615.0	0.31	356.41	615.0	2.5	-0.9	370,536.82	1,722,281.57	39° 30' 47.389 N	80° 29' 3.734 W
715.0	0.23	6.91	715.0	3.0	-0.9	370,537.29	1,722,281.57	39° 30' 47.394 N	80° 29' 3.734 W
815.0	0.06	59.59	815.0	3.2	-0.8	370,537.51	1,722,281.64	39° 30' 47.396 N	80° 29' 3.733 W
915.0	0.12	82.44	915.0	3.2	-0.7	370,537.55	1,722,281.79	39° 30' 47.396 N	80° 29' 3.731 W
1,015.0	0.12	69.91	1,015.0	3.3	-0.5	370,537.60	1,722,281.99	39° 30' 47.397 N	80° 29' 3.728 W
1,115.0	0.10	80.67	1,115.0	3.3	-0.3	370,537.65	1,722,282.18	39° 30' 47.398 N	80° 29' 3.726 W
1,215.0	0.07	63.03	1,215.0	3.4	-0.2	370,537.70	1,722,282.32	39° 30' 47.398 N	80° 29' 3.724 W
1,315.0	0.07	81.16	1,315.0	3.4	0.0	370,537.73	1,722,282.43	39° 30' 47.398 N	80° 29' 3.723 W
1,415.0	0.15	52.02	1,415.0	3.5	0.1	370,537.82	1,722,282.60	39° 30' 47.399 N	80° 29' 3.721 W
1,515.0	0.27	31.79	1,515.0	3.8	0.4	370,538.10	1,722,282.82	39° 30' 47.402 N	80° 29' 3.718 W
1,615.0	0.35	29.68	1,615.0	4.3	0.6	370,538.57	1,722,283.10	39° 30' 47.407 N	80° 29' 3.714 W
1,715.0	0.34	33.29	1,715.0	4.8	0.9	370,539.08	1,722,283.41	39° 30' 47.412 N	80° 29' 3.710 W
1,815.0	0.33	23.33	1,815.0	5.3	1.2	370,539.59	1,722,283.69	39° 30' 47.417 N	80° 29' 3.707 W

Survey Report - Geographic

Company:	EQT PRODUCTION	Local Co-ordinate Reference:	Well Tesla 9H L-004774 - Slot 9H SHL
Project:	Wetzel County, WV	TVD Reference:	KB@28 @ 1348.0usft
Site:	Tesla	MD Reference:	KB@28 @ 1348.0usft
Well:	Tesla 9H L-004774	North Reference:	Grid
Wellbore:	Main	Survey Calculation Method:	Minimum Curvature
Design:	Tesla 9H As Drilled	Database:	EQT

RECEIVED
Office Of Oil and Gas

OCT 17 2025

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,915.0	0.19	17.01	1,915.0	5.7	1.4	370,540.02	1,722,283.85	39° 30' 47.421 N	80° 29' 3.705 W
2,015.0	0.06	205.27	2,015.0	5.8	1.4	370,540.13	1,722,283.88	39° 30' 47.422 N	80° 29' 3.705 W
2,115.0	0.05	205.33	2,115.0	5.7	1.4	370,540.04	1,722,283.84	39° 30' 47.421 N	80° 29' 3.705 W
2,215.0	0.07	70.51	2,215.0	5.7	1.4	370,540.02	1,722,283.88	39° 30' 47.421 N	80° 29' 3.705 W
2,315.0	0.07	119.11	2,315.0	5.7	1.5	370,540.01	1,722,283.99	39° 30' 47.421 N	80° 29' 3.703 W
2,415.0	0.12	97.71	2,415.0	5.7	1.7	370,539.97	1,722,284.15	39° 30' 47.421 N	80° 29' 3.701 W
2,515.0	0.18	55.47	2,515.0	5.7	1.9	370,540.04	1,722,284.38	39° 30' 47.421 N	80° 29' 3.698 W
2,615.0	0.22	6.38	2,615.0	6.0	2.1	370,540.32	1,722,284.53	39° 30' 47.424 N	80° 29' 3.696 W
2,617.0	0.22	8.85	2,617.0	6.0	2.1	370,540.33	1,722,284.53	39° 30' 47.424 N	80° 29' 3.696 W
Gyro Tie In=2617.0 MD/2617.0 TVD									
2,678.0	0.22	51.25	2,678.0	6.2	2.2	370,540.52	1,722,284.64	39° 30' 47.426 N	80° 29' 3.695 W
2,722.0	0.17	10.57	2,722.0	6.3	2.2	370,540.64	1,722,284.72	39° 30' 47.427 N	80° 29' 3.694 W
2,765.0	0.57	273.14	2,765.0	6.4	2.0	370,540.71	1,722,284.52	39° 30' 47.428 N	80° 29' 3.697 W
2,807.0	1.20	278.75	2,807.0	6.5	1.4	370,540.79	1,722,283.87	39° 30' 47.429 N	80° 29' 3.705 W
2,850.0	1.77	265.56	2,850.0	6.5	0.3	370,540.81	1,722,282.77	39° 30' 47.429 N	80° 29' 3.719 W
2,937.0	2.99	265.68	2,936.9	6.2	-3.3	370,540.53	1,722,279.16	39° 30' 47.426 N	80° 29' 3.765 W
3,024.0	3.18	263.26	3,023.8	5.8	-8.0	370,540.08	1,722,274.50	39° 30' 47.421 N	80° 29' 3.824 W
3,110.0	2.86	254.56	3,109.6	4.9	-12.4	370,539.23	1,722,270.07	39° 30' 47.412 N	80° 29' 3.881 W
3,194.0	2.98	268.52	3,193.5	4.3	-16.6	370,538.61	1,722,265.86	39° 30' 47.405 N	80° 29' 3.934 W
3,278.0	3.37	274.99	3,277.4	4.5	-21.2	370,538.77	1,722,261.22	39° 30' 47.406 N	80° 29' 3.994 W
3,362.0	3.05	270.32	3,361.3	4.7	-25.9	370,539.00	1,722,256.53	39° 30' 47.408 N	80° 29' 4.054 W
3,447.0	2.80	272.21	3,446.2	4.8	-30.3	370,539.09	1,722,252.19	39° 30' 47.408 N	80° 29' 4.109 W
3,532.0	2.56	271.88	3,531.1	4.9	-34.3	370,539.23	1,722,248.22	39° 30' 47.409 N	80° 29' 4.160 W
3,617.0	2.77	259.01	3,616.0	4.6	-38.2	370,538.91	1,722,244.31	39° 30' 47.406 N	80° 29' 4.209 W
3,703.0	3.21	268.75	3,701.9	4.1	-42.6	370,538.46	1,722,239.86	39° 30' 47.401 N	80° 29' 4.266 W
3,788.0	3.05	264.72	3,786.7	3.9	-47.2	370,538.20	1,722,235.23	39° 30' 47.398 N	80° 29' 4.325 W
3,874.0	2.53	266.02	3,872.6	3.5	-51.4	370,537.85	1,722,231.06	39° 30' 47.394 N	80° 29' 4.378 W
3,961.0	2.65	267.58	3,959.5	3.3	-55.3	370,537.64	1,722,227.13	39° 30' 47.391 N	80° 29' 4.428 W
4,047.0	3.26	269.56	4,045.4	3.2	-59.8	370,537.53	1,722,222.70	39° 30' 47.390 N	80° 29' 4.485 W
4,131.0	2.70	268.19	4,129.3	3.1	-64.1	370,537.45	1,722,218.33	39° 30' 47.389 N	80° 29' 4.541 W
4,218.0	3.23	273.51	4,216.2	3.2	-68.6	370,537.54	1,722,213.84	39° 30' 47.389 N	80° 29' 4.598 W
4,304.0	3.56	274.69	4,302.0	3.6	-73.7	370,537.90	1,722,208.76	39° 30' 47.392 N	80° 29' 4.663 W
4,391.0	3.46	273.32	4,388.9	4.0	-79.0	370,538.28	1,722,203.45	39° 30' 47.395 N	80° 29' 4.731 W
4,476.0	3.18	269.54	4,473.7	4.1	-83.9	370,538.41	1,722,198.53	39° 30' 47.396 N	80° 29' 4.793 W
4,562.0	3.14	269.56	4,559.6	4.1	-88.7	370,538.37	1,722,193.79	39° 30' 47.395 N	80° 29' 4.854 W
4,646.0	3.20	265.60	4,643.5	3.9	-93.3	370,538.17	1,722,189.15	39° 30' 47.393 N	80° 29' 4.913 W
4,733.0	3.05	260.39	4,730.4	3.3	-98.0	370,537.60	1,722,184.45	39° 30' 47.386 N	80° 29' 4.973 W
4,820.0	3.24	256.02	4,817.2	2.3	-102.7	370,536.62	1,722,179.78	39° 30' 47.376 N	80° 29' 5.032 W
4,905.0	3.73	262.34	4,902.1	1.4	-107.8	370,535.67	1,722,174.71	39° 30' 47.366 N	80° 29' 5.097 W
4,981.0	4.25	268.60	4,977.9	1.0	-113.0	370,535.27	1,722,169.44	39° 30' 47.362 N	80° 29' 5.164 W
5,065.0	5.00	261.39	5,061.6	0.3	-119.8	370,534.65	1,722,162.71	39° 30' 47.355 N	80° 29' 5.250 W
5,151.0	4.88	265.11	5,147.3	-0.5	-127.1	370,533.77	1,722,155.36	39° 30' 47.345 N	80° 29' 5.344 W
5,236.0	4.68	262.66	5,232.0	-1.3	-134.2	370,533.02	1,722,148.32	39° 30' 47.337 N	80° 29' 5.433 W
5,323.0	4.55	266.00	5,318.7	-2.0	-141.1	370,532.33	1,722,141.36	39° 30' 47.330 N	80° 29' 5.522 W
5,409.0	3.65	268.30	5,404.5	-2.3	-147.3	370,532.01	1,722,135.22	39° 30' 47.326 N	80° 29' 5.600 W
5,493.0	3.08	277.16	5,488.3	-2.1	-152.2	370,532.21	1,722,130.31	39° 30' 47.327 N	80° 29' 5.663 W
5,577.0	3.23	285.16	5,572.2	-1.2	-156.7	370,533.11	1,722,125.78	39° 30' 47.336 N	80° 29' 5.721 W
5,662.0	3.03	275.80	5,657.1	-0.3	-161.2	370,533.97	1,722,121.24	39° 30' 47.344 N	80° 29' 5.779 W
5,746.0	2.61	274.15	5,741.0	0.0	-165.4	370,534.33	1,722,117.12	39° 30' 47.347 N	80° 29' 5.832 W
5,832.0	2.74	270.20	5,826.9	0.2	-169.4	370,534.48	1,722,113.11	39° 30' 47.348 N	80° 29' 5.883 W
5,919.0	2.71	266.79	5,913.8	0.1	-173.5	370,534.37	1,722,108.98	39° 30' 47.346 N	80° 29' 5.935 W
6,005.0	2.73	265.12	5,999.7	-0.2	-177.6	370,534.08	1,722,104.91	39° 30' 47.343 N	80° 29' 5.987 W
6,092.0	2.67	277.76	6,086.6	-0.1	-181.6	370,534.18	1,722,100.84	39° 30' 47.344 N	80° 29' 6.039 W
6,176.0	2.94	299.06	6,170.5	1.2	-185.5	370,535.49	1,722,097.01	39° 30' 47.356 N	80° 29' 6.088 W
6,263.0	2.79	296.30	6,257.4	3.2	-189.3	370,537.51	1,722,093.17	39° 30' 47.376 N	80° 29' 6.138 W

09/04/2026

Survey Report - Geographic

Company:	EQT PRODUCTION	Local Co-ordinate Reference:	Well Tesla 9H L-004774 - Slot 9H SHL
Project:	Wetzel County, WV	TVD Reference:	KB@28 @ 1348.0usft
Site:	Tesla	MD Reference:	KB@28 @ 1348.0usft
Well:	Tesla 9H L-004774	North Reference:	Grid
Wellbore:	Main	Survey Calculation Method:	Minimum Curvature
Design:	Tesla 9H As Drilled	Database:	EQT

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,349.0	3.48	293.17	6,343.3	5.2	-193.6	370,539.47	1,722,088.89	39° 30' 47.394 N	80° 29' 6.192 W
6,433.0	4.23	283.90	6,427.1	6.9	-198.9	370,541.21	1,722,083.54	39° 30' 47.411 N	80° 29' 6.261 W
6,519.0	4.41	283.98	6,512.8	8.5	-205.2	370,542.77	1,722,077.25	39° 30' 47.426 N	80° 29' 6.341 W
6,606.0	4.49	284.81	6,599.6	10.1	-211.8	370,544.45	1,722,070.71	39° 30' 47.442 N	80° 29' 6.425 W
6,689.0	4.05	277.39	6,682.3	11.3	-217.8	370,545.66	1,722,064.67	39° 30' 47.453 N	80° 29' 6.502 W
6,775.0	3.27	270.39	6,768.2	11.8	-223.3	370,546.07	1,722,059.20	39° 30' 47.457 N	80° 29' 6.572 W
6,862.0	3.65	273.34	6,855.0	11.9	-228.5	370,546.25	1,722,053.96	39° 30' 47.458 N	80° 29' 6.639 W
6,947.0	3.21	265.00	6,939.9	11.9	-233.6	370,546.20	1,722,048.88	39° 30' 47.457 N	80° 29' 6.704 W
6,990.0	2.84	258.88	6,982.8	11.6	-235.8	370,545.88	1,722,046.64	39° 30' 47.453 N	80° 29' 6.732 W
7,011.0	2.92	258.85	7,003.8	11.4	-236.9	370,545.68	1,722,045.60	39° 30' 47.451 N	80° 29' 6.746 W
Curve KOP at 7011.0_7003.8 TVD									
7,050.0	3.07	258.81	7,042.7	11.0	-238.9	370,545.29	1,722,043.60	39° 30' 47.447 N	80° 29' 6.771 W
7,145.0	7.80	320.46	7,137.3	15.5	-245.5	370,549.77	1,722,037.00	39° 30' 47.491 N	80° 29' 6.856 W
7,224.4	13.37	326.43	7,215.3	27.3	-254.0	370,561.58	1,722,028.49	39° 30' 47.606 N	80° 29' 6.966 W
Sonyea									
7,239.0	14.41	327.03	7,229.5	30.2	-255.9	370,564.52	1,722,026.56	39° 30' 47.635 N	80° 29' 6.991 W
7,334.0	20.22	330.02	7,320.2	54.4	-270.6	370,588.68	1,722,011.91	39° 30' 47.873 N	80° 29' 7.182 W
7,414.0	27.44	331.58	7,393.3	82.6	-286.3	370,616.90	1,721,996.21	39° 30' 48.150 N	80° 29' 7.386 W
Middlesex									
7,429.0	28.80	331.79	7,406.5	88.8	-289.6	370,623.13	1,721,992.85	39° 30' 48.211 N	80° 29' 7.430 W
7,489.7	34.41	333.18	7,458.2	117.0	-304.3	370,651.34	1,721,978.19	39° 30' 48.488 N	80° 29' 7.621 W
Genesee									
7,524.0	37.58	333.80	7,486.0	135.1	-313.3	370,669.38	1,721,969.20	39° 30' 48.665 N	80° 29' 7.738 W
7,606.1	44.69	333.78	7,547.8	183.5	-337.1	370,717.80	1,721,945.36	39° 30' 49.141 N	80° 29' 8.049 W
Genesee									
7,619.0	45.81	333.78	7,556.8	191.7	-341.2	370,726.02	1,721,941.31	39° 30' 49.222 N	80° 29' 8.102 W
7,658.7	49.50	333.96	7,583.6	218.0	-354.1	370,752.36	1,721,928.39	39° 30' 49.481 N	80° 29' 8.270 W
Tully									
7,714.0	54.64	334.17	7,617.6	257.3	-373.1	370,791.57	1,721,909.32	39° 30' 49.867 N	80° 29' 8.519 W
7,722.6	55.56	334.02	7,622.5	263.6	-376.2	370,797.92	1,721,906.24	39° 30' 49.929 N	80° 29' 8.559 W
Hamilton									
7,809.0	64.77	332.62	7,665.4	330.5	-409.9	370,864.79	1,721,872.59	39° 30' 50.586 N	80° 29' 8.998 W
7,904.0	72.31	334.78	7,700.1	409.7	-449.0	370,944.01	1,721,833.48	39° 30' 51.365 N	80° 29' 9.508 W
7,969.7	78.00	335.37	7,717.0	467.3	-475.7	371,001.58	1,721,806.74	39° 30' 51.931 N	80° 29' 9.857 W
Marcellus=7969.7_7717.0 TVD - MRC3									
7,999.0	80.54	335.63	7,722.4	493.5	-487.7	371,027.77	1,721,794.80	39° 30' 52.189 N	80° 29' 10.013 W
8,067.2	86.00	334.76	7,730.4	554.9	-516.1	371,089.23	1,721,766.39	39° 30' 52.793 N	80° 29' 10.384 W
MRC2									
8,070.3	86.24	334.72	7,730.6	557.7	-517.4	371,092.03	1,721,765.07	39° 30' 52.821 N	80° 29' 10.402 W
MRC TT									
8,094.0	88.14	334.42	7,731.8	579.1	-527.6	371,113.40	1,721,754.91	39° 30' 53.031 N	80° 29' 10.534 W
LP=8094.0 MD_7731.8 TVD									
8,189.0	88.31	334.53	7,734.7	664.8	-568.5	371,199.09	1,721,713.99	39° 30' 53.873 N	80° 29' 11.068 W
8,280.0	90.13	335.03	7,736.0	747.1	-607.2	371,281.41	1,721,675.23	39° 30' 54.682 N	80° 29' 11.574 W
Deepest Point Of Well=8283.0 MD_7736.0 TVD									
8,283.0	90.19	335.05	7,736.0	749.8	-608.5	371,284.13	1,721,673.96	39° 30' 54.709 N	80° 29' 11.591 W
8,377.0	90.33	335.03	7,735.5	835.0	-648.2	371,369.35	1,721,634.29	39° 30' 55.547 N	80° 29' 12.109 W
8,471.0	90.53	334.59	7,734.8	920.1	-688.2	371,454.40	1,721,594.29	39° 30' 56.383 N	80° 29' 12.631 W
8,566.0	90.57	335.62	7,733.9	1,006.3	-728.2	371,540.57	1,721,554.30	39° 30' 57.231 N	80° 29' 13.154 W
8,660.0	90.50	334.60	7,733.0	1,091.5	-767.7	371,625.83	1,721,514.74	39° 30' 58.069 N	80° 29' 13.670 W
8,754.0	90.43	335.06	7,732.3	1,176.6	-807.7	371,710.91	1,721,474.76	39° 30' 58.906 N	80° 29' 14.193 W
8,849.0	90.67	335.15	7,731.4	1,262.8	-847.7	371,797.08	1,721,434.77	39° 30' 59.753 N	80° 29' 14.715 W
8,943.0	90.67	334.63	7,730.3	1,347.9	-887.6	371,882.19	1,721,394.89	39° 31' 0.590 N	80° 29' 15.236 W

Survey Report - Geographic

Company: EQT PRODUCTION
Project: Wetzel County, WV
Site: Tesla
Well: Tesla 9H L-004774
Wellbore: Main
Design: Tesla 9H As Drilled

Local Co-ordinate Reference: Well Tesla 9H L-004774 - Slot 9H SHL
TVD Reference: KB@28 @ 1348.0usft
MD Reference: KB@28 @ 1348.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EQT

RECEIVED
Office Of Oil and Gas

Survey

OCT 17 2025

WV Department of
Environmental Protection

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
9,037.0	90.50	335.50	7,729.3	1,433.1	-927.2	371,967.42	1,721,355.26	39° 31' 1.428 N	80° 29' 15.753 W
9,132.0	90.43	334.85	7,728.5	1,519.3	-967.1	372,053.64	1,721,315.37	39° 31' 2.276 N	80° 29' 16.274 W
9,226.0	90.30	334.43	7,727.9	1,604.3	-1,007.4	372,138.58	1,721,275.11	39° 31' 3.111 N	80° 29' 16.800 W
9,320.0	90.10	334.35	7,727.6	1,689.0	-1,048.0	372,223.34	1,721,234.48	39° 31' 3.944 N	80° 29' 17.330 W
9,415.0	90.00	334.52	7,727.5	1,774.7	-1,089.0	372,309.04	1,721,193.49	39° 31' 4.787 N	80° 29' 17.865 W
9,509.0	89.86	333.64	7,727.6	1,859.3	-1,130.1	372,393.58	1,721,152.40	39° 31' 5.618 N	80° 29' 18.402 W
9,603.0	90.19	335.30	7,727.6	1,944.1	-1,170.6	372,478.40	1,721,111.89	39° 31' 6.452 N	80° 29' 18.930 W
9,698.0	90.12	334.58	7,727.3	2,030.1	-1,210.8	372,564.46	1,721,071.65	39° 31' 7.298 N	80° 29' 19.456 W
9,792.0	90.47	336.22	7,726.9	2,115.6	-1,249.9	372,649.92	1,721,032.52	39° 31' 8.138 N	80° 29' 19.967 W
9,887.0	90.50	335.39	7,726.1	2,202.3	-1,288.9	372,736.57	1,720,993.59	39° 31' 8.990 N	80° 29' 20.476 W
9,981.0	90.20	335.23	7,725.5	2,287.7	-1,328.1	372,821.98	1,720,954.32	39° 31' 9.830 N	80° 29' 20.989 W
10,075.0	90.26	335.48	7,725.1	2,373.1	-1,367.3	372,907.41	1,720,915.13	39° 31' 10.670 N	80° 29' 21.501 W
10,170.0	90.26	334.43	7,724.7	2,459.2	-1,407.6	372,993.48	1,720,874.91	39° 31' 11.516 N	80° 29' 22.027 W
10,264.0	90.37	335.34	7,724.2	2,544.3	-1,447.5	373,078.59	1,720,835.02	39° 31' 12.353 N	80° 29' 22.548 W
10,359.0	90.22	335.07	7,723.7	2,630.5	-1,487.3	373,164.83	1,720,795.18	39° 31' 13.201 N	80° 29' 23.068 W
10,454.0	90.26	334.58	7,723.3	2,716.5	-1,527.7	373,250.81	1,720,754.77	39° 31' 14.047 N	80° 29' 23.596 W
10,549.0	90.73	335.15	7,722.4	2,802.5	-1,568.1	373,336.81	1,720,714.42	39° 31' 14.892 N	80° 29' 24.123 W
10,644.0	90.69	334.64	7,721.3	2,888.5	-1,608.4	373,422.83	1,720,674.11	39° 31' 15.738 N	80° 29' 24.649 W
10,738.0	90.86	334.74	7,720.0	2,973.5	-1,648.5	373,507.80	1,720,633.93	39° 31' 16.573 N	80° 29' 25.174 W
10,832.0	90.63	335.21	7,718.8	3,058.6	-1,688.3	373,592.96	1,720,594.17	39° 31' 17.411 N	80° 29' 25.693 W
10,927.0	90.83	334.83	7,717.6	3,144.8	-1,728.4	373,679.07	1,720,554.05	39° 31' 18.257 N	80° 29' 26.217 W
11,021.0	91.03	334.61	7,716.0	3,229.7	-1,768.6	373,764.06	1,720,513.92	39° 31' 19.093 N	80° 29' 26.742 W
11,116.0	90.56	334.98	7,714.7	3,315.7	-1,809.0	373,850.00	1,720,473.47	39° 31' 19.938 N	80° 29' 27.270 W
11,210.0	90.49	334.64	7,713.9	3,400.7	-1,849.0	373,935.06	1,720,433.46	39° 31' 20.774 N	80° 29' 27.792 W
11,305.0	89.55	334.89	7,713.8	3,486.7	-1,889.5	374,020.99	1,720,392.96	39° 31' 21.619 N	80° 29' 28.321 W
11,399.0	89.45	334.55	7,714.6	3,571.7	-1,929.7	374,105.99	1,720,352.82	39° 31' 22.455 N	80° 29' 28.845 W
11,494.0	89.89	335.19	7,715.2	3,657.7	-1,970.0	374,191.99	1,720,312.47	39° 31' 23.300 N	80° 29' 29.372 W
11,589.0	89.15	334.99	7,716.0	3,743.8	-2,010.0	374,278.15	1,720,272.46	39° 31' 24.148 N	80° 29' 29.895 W
11,684.0	90.36	334.97	7,716.4	3,829.9	-2,050.2	374,364.23	1,720,232.29	39° 31' 24.994 N	80° 29' 30.420 W
11,778.0	90.22	335.05	7,715.9	3,915.1	-2,089.9	374,449.43	1,720,192.57	39° 31' 25.832 N	80° 29' 30.939 W
11,873.0	90.32	334.94	7,715.5	4,001.2	-2,130.1	374,535.53	1,720,152.42	39° 31' 26.678 N	80° 29' 31.463 W
11,967.0	90.39	334.67	7,714.9	4,086.3	-2,170.1	374,620.58	1,720,112.40	39° 31' 27.514 N	80° 29' 31.986 W
12,062.0	90.26	334.82	7,714.4	4,172.2	-2,210.6	374,706.50	1,720,071.87	39° 31' 28.359 N	80° 29' 32.515 W
12,156.0	90.63	334.61	7,713.6	4,257.2	-2,250.7	374,791.49	1,720,031.72	39° 31' 29.195 N	80° 29' 33.040 W
12,250.0	90.69	334.45	7,712.5	4,342.0	-2,291.2	374,876.35	1,719,991.30	39° 31' 30.029 N	80° 29' 33.567 W
12,345.0	91.03	335.09	7,711.1	4,428.0	-2,331.7	374,962.28	1,719,950.81	39° 31' 30.874 N	80° 29' 34.096 W
12,439.0	90.56	336.08	7,709.8	4,513.5	-2,370.5	375,047.86	1,719,911.96	39° 31' 31.716 N	80° 29' 34.604 W
12,533.0	90.73	335.48	7,708.8	4,599.3	-2,409.1	375,133.58	1,719,873.40	39° 31' 32.559 N	80° 29' 35.108 W
12,628.0	90.32	335.03	7,707.9	4,685.5	-2,448.8	375,219.86	1,719,833.64	39° 31' 33.407 N	80° 29' 35.628 W
12,722.0	90.39	335.02	7,707.3	4,770.8	-2,488.5	375,305.06	1,719,793.95	39° 31' 34.245 N	80° 29' 36.146 W
12,817.0	90.29	335.34	7,706.7	4,857.0	-2,528.4	375,391.29	1,719,754.08	39° 31' 35.092 N	80° 29' 36.667 W
12,911.0	90.09	334.14	7,706.4	4,942.0	-2,568.5	375,476.30	1,719,713.96	39° 31' 35.928 N	80° 29' 37.191 W
13,006.0	90.46	335.24	7,706.0	5,027.9	-2,609.1	375,562.18	1,719,673.35	39° 31' 36.773 N	80° 29' 37.722 W
13,100.0	90.32	335.13	7,705.3	5,113.2	-2,648.6	375,647.49	1,719,633.90	39° 31' 37.611 N	80° 29' 38.237 W
13,195.0	90.63	335.12	7,704.5	5,199.4	-2,688.5	375,733.68	1,719,593.94	39° 31' 38.459 N	80° 29' 38.759 W
13,289.0	90.53	334.73	7,703.6	5,284.5	-2,728.4	375,818.81	1,719,554.11	39° 31' 39.296 N	80° 29' 39.280 W
13,384.0	90.56	335.05	7,702.7	5,370.5	-2,768.7	375,904.83	1,719,513.79	39° 31' 40.142 N	80° 29' 39.806 W
13,478.0	90.46	335.26	7,701.8	5,455.8	-2,808.2	375,990.13	1,719,474.30	39° 31' 40.980 N	80° 29' 40.322 W
13,573.0	90.29	334.86	7,701.2	5,542.0	-2,848.2	376,076.27	1,719,434.24	39° 31' 41.827 N	80° 29' 40.846 W
13,667.0	90.59	335.23	7,700.5	5,627.2	-2,887.9	376,161.49	1,719,394.59	39° 31' 42.665 N	80° 29' 41.364 W
13,762.0	90.63	335.74	7,699.5	5,713.6	-2,927.3	376,247.92	1,719,355.17	39° 31' 43.515 N	80° 29' 41.879 W
13,856.0	90.53	335.05	7,698.5	5,799.1	-2,966.4	376,333.38	1,719,316.03	39° 31' 44.356 N	80° 29' 42.391 W
13,950.0	90.59	334.95	7,697.6	5,884.3	-3,006.2	376,418.57	1,719,276.31	39° 31' 45.193 N	80° 29' 42.910 W
14,044.0	89.89	335.04	7,697.2	5,969.4	-3,045.9	376,503.76	1,719,236.58	39° 31' 46.031 N	80° 29' 43.429 W
14,139.0	89.99	334.73	7,697.3	6,055.5	-3,086.2	376,589.78	1,719,196.25	39° 31' 46.876 N	80° 29' 43.955 W

09/04/2026

Survey Report - Geographic

Company:	EQT PRODUCTION	Local Co-ordinate Reference:	Well Tesla 9H L-004774 - Slot 9H SHL
Project:	Wetzel County, WV	TVD Reference:	KB@28 @ 1348.0usft
Site:	Tesla	MD Reference:	KB@28 @ 1348.0usft
Well:	Tesla 9H L-004774	North Reference:	Grid
Wellbore:	Main	Survey Calculation Method:	Minimum Curvature
Design:	Tesla 9H As Drilled	Database:	EQT

RECEIVED
Office Of Oil and Gas

OCT 17 2025

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
14,233.0	90.26	335.37	7,697.1	6,140.7	-3,125.9	376,675.00	1,719,156.60	39° 31' 47.714 N	80° 29' 44.474 W
14,327.0	90.32	334.97	7,696.6	6,226.0	-3,165.3	376,760.31	1,719,117.13	39° 31' 48.553 N	80° 29' 44.989 W
14,421.0	90.39	335.01	7,696.1	6,311.2	-3,205.1	376,845.50	1,719,077.39	39° 31' 49.391 N	80° 29' 45.509 W
14,516.0	90.73	335.60	7,695.1	6,397.5	-3,244.8	376,931.80	1,719,037.70	39° 31' 50.239 N	80° 29' 46.027 W
14,611.0	90.63	335.15	7,694.0	6,483.8	-3,284.3	377,018.16	1,718,998.12	39° 31' 51.089 N	80° 29' 46.545 W
14,706.0	90.56	334.97	7,693.0	6,570.0	-3,324.4	377,104.29	1,718,958.07	39° 31' 51.935 N	80° 29' 47.068 W
14,800.0	90.79	335.28	7,691.9	6,655.3	-3,363.9	377,189.57	1,718,918.53	39° 31' 52.774 N	80° 29' 47.585 W
14,895.0	90.73	334.59	7,690.7	6,741.3	-3,404.2	377,275.61	1,718,878.29	39° 31' 53.620 N	80° 29' 48.111 W
14,989.0	90.66	334.72	7,689.5	6,826.2	-3,444.4	377,360.56	1,718,838.05	39° 31' 54.455 N	80° 29' 48.636 W
15,084.0	90.83	335.19	7,688.3	6,912.3	-3,484.6	377,446.62	1,718,797.84	39° 31' 55.301 N	80° 29' 49.162 W
15,178.0	90.69	334.47	7,687.0	6,997.4	-3,524.6	377,531.69	1,718,757.86	39° 31' 56.138 N	80° 29' 49.684 W
15,273.0	90.73	336.04	7,685.9	7,083.6	-3,564.4	377,617.95	1,718,718.10	39° 31' 56.986 N	80° 29' 50.203 W
15,367.0	91.16	334.58	7,684.3	7,169.0	-3,603.6	377,703.35	1,718,678.84	39° 31' 57.825 N	80° 29' 50.717 W
15,463.0	91.16	336.51	7,682.4	7,256.4	-3,643.4	377,790.71	1,718,639.11	39° 31' 58.685 N	80° 29' 51.236 W
15,558.0	90.83	335.60	7,680.7	7,343.2	-3,681.9	377,877.52	1,718,600.56	39° 31' 59.538 N	80° 29' 51.740 W
15,652.0	91.13	334.75	7,679.1	7,428.5	-3,721.4	377,962.82	1,718,561.10	39° 32' 0.377 N	80° 29' 52.256 W
15,747.0	90.96	335.44	7,677.4	7,514.7	-3,761.4	378,048.97	1,718,521.10	39° 32' 1.224 N	80° 29' 52.779 W
15,841.0	90.83	335.03	7,675.9	7,600.0	-3,800.7	378,134.32	1,718,481.73	39° 32' 2.063 N	80° 29' 53.293 W
15,936.0	90.86	335.57	7,674.5	7,686.3	-3,840.4	378,220.62	1,718,442.04	39° 32' 2.912 N	80° 29' 53.812 W
16,030.0	90.96	335.82	7,673.0	7,772.0	-3,879.1	378,306.27	1,718,403.35	39° 32' 3.754 N	80° 29' 54.318 W
16,124.0	90.86	334.20	7,671.5	7,857.1	-3,918.8	378,391.46	1,718,363.65	39° 32' 4.592 N	80° 29' 54.837 W
16,219.0	90.69	334.97	7,670.2	7,942.9	-3,959.6	378,477.26	1,718,322.88	39° 32' 5.435 N	80° 29' 55.369 W
16,313.0	90.79	335.04	7,669.0	8,028.1	-3,999.3	378,562.45	1,718,283.17	39° 32' 6.273 N	80° 29' 55.888 W
16,408.0	90.86	335.35	7,667.7	8,114.4	-4,039.2	378,648.67	1,718,243.31	39° 32' 7.121 N	80° 29' 56.409 W
16,502.0	90.66	334.98	7,666.4	8,199.7	-4,078.6	378,733.97	1,718,203.84	39° 32' 7.959 N	80° 29' 56.925 W
16,597.0	90.49	334.94	7,665.4	8,285.7	-4,118.8	378,820.04	1,718,163.63	39° 32' 8.805 N	80° 29' 57.451 W
16,692.0	91.06	334.95	7,664.2	8,371.8	-4,159.1	378,906.09	1,718,123.40	39° 32' 9.652 N	80° 29' 57.976 W
16,786.0	90.93	334.49	7,662.5	8,456.8	-4,199.2	378,991.08	1,718,083.27	39° 32' 10.487 N	80° 29' 58.501 W
16,881.0	91.13	335.60	7,660.8	8,542.9	-4,239.3	379,077.19	1,718,043.19	39° 32' 11.334 N	80° 29' 59.024 W
16,977.0	91.33	335.10	7,658.8	8,630.1	-4,279.3	379,164.42	1,718,003.16	39° 32' 12.191 N	80° 29' 59.548 W
17,071.0	91.33	334.83	7,656.6	8,715.3	-4,319.1	379,249.57	1,717,963.40	39° 32' 13.029 N	80° 30' 0.067 W
17,165.0	91.13	334.90	7,654.6	8,800.3	-4,359.0	379,334.65	1,717,923.48	39° 32' 13.865 N	80° 30' 0.589 W
17,260.0	91.03	334.80	7,652.8	8,886.3	-4,399.4	379,420.63	1,717,883.11	39° 32' 14.710 N	80° 30' 1.116 W
17,354.0	91.06	335.26	7,651.1	8,971.5	-4,439.0	379,505.83	1,717,843.44	39° 32' 15.548 N	80° 30' 1.635 W
17,449.0	91.26	334.73	7,649.1	9,057.6	-4,479.2	379,591.90	1,717,803.29	39° 32' 16.394 N	80° 30' 2.159 W
17,544.0	91.19	334.51	7,647.1	9,143.4	-4,519.9	379,677.71	1,717,762.58	39° 32' 17.238 N	80° 30' 2.691 W
17,638.0	91.06	335.61	7,645.3	9,228.6	-4,559.5	379,762.93	1,717,722.95	39° 32' 18.076 N	80° 30' 3.209 W
17,733.0	91.13	334.82	7,643.4	9,314.8	-4,599.3	379,849.16	1,717,683.13	39° 32' 18.924 N	80° 30' 3.730 W
17,827.0	91.16	335.27	7,641.6	9,400.1	-4,639.0	379,934.37	1,717,643.48	39° 32' 19.761 N	80° 30' 4.248 W
17,922.0	91.23	335.05	7,639.6	9,486.2	-4,678.9	380,020.56	1,717,603.58	39° 32' 20.609 N	80° 30' 4.769 W
18,017.0	91.16	334.67	7,637.6	9,572.2	-4,719.2	380,106.55	1,717,563.23	39° 32' 21.454 N	80° 30' 5.297 W
18,111.0	91.50	335.30	7,635.4	9,657.4	-4,759.0	380,191.70	1,717,523.49	39° 32' 22.292 N	80° 30' 5.816 W
18,206.0	91.50	334.47	7,632.9	9,743.4	-4,799.3	380,277.69	1,717,483.19	39° 32' 23.137 N	80° 30' 6.343 W
18,301.0	92.07	335.37	7,630.0	9,829.4	-4,839.5	380,363.69	1,717,442.94	39° 32' 23.982 N	80° 30' 6.869 W
18,395.0	92.40	335.80	7,626.3	9,914.9	-4,878.4	380,449.22	1,717,404.11	39° 32' 24.823 N	80° 30' 7.376 W
18,489.0	91.97	334.79	7,622.7	10,000.2	-4,917.6	380,534.55	1,717,364.86	39° 32' 25.663 N	80° 30' 7.890 W
18,584.0	91.73	335.19	7,619.7	10,086.3	-4,957.8	380,620.60	1,717,324.71	39° 32' 26.509 N	80° 30' 8.414 W
18,679.0	91.77	334.95	7,616.8	10,172.4	-4,997.8	380,706.71	1,717,284.69	39° 32' 27.355 N	80° 30' 8.938 W
18,774.0	91.77	335.10	7,613.8	10,258.5	-5,037.9	380,792.78	1,717,244.60	39° 32' 28.201 N	80° 30' 9.462 W
18,868.0	91.83	334.92	7,610.9	10,343.6	-5,077.6	380,877.94	1,717,204.90	39° 32' 29.039 N	80° 30' 9.980 W
18,963.0	91.77	335.08	7,607.9	10,429.7	-5,117.7	380,964.00	1,717,164.78	39° 32' 29.885 N	80° 30' 10.505 W
19,058.0	91.73	335.01	7,605.0	10,515.8	-5,157.8	381,050.09	1,717,124.71	39° 32' 30.731 N	80° 30' 11.028 W
19,152.0	91.70	334.92	7,602.2	10,600.9	-5,197.5	381,135.22	1,717,084.95	39° 32' 31.568 N	80° 30' 11.548 W
19,247.0	91.50	335.25	7,599.5	10,687.0	-5,237.5	381,221.35	1,717,044.95	39° 32' 32.415 N	80° 30' 12.071 W
19,342.0	91.70	334.93	7,596.9	10,773.2	-5,277.5	381,307.47	1,717,004.95	39° 32' 33.262 N	80° 30' 12.594 W

Survey Report - Geographic

Company: EQT PRODUCTION
Project: Wetzel County, WV
Site: Tesla
Well: Tesla 9H L-004774
Wellbore: Main
Design: Tesla 9H As Drilled

Local Co-ordinate Reference: Well Tesla 9H L-004774 - Slot 9H SHL
TVD Reference: KB@28 @ 1348.0usft
MD Reference: KB@28 @ 1348.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EQT

RECEIVED
Office Of Oil and Gas

OCT 17 2025

WV Department of
Environmental Protection

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
19,436.0	91.73	335.35	7,594.1	10,858.4	-5,317.0	381,392.73	1,716,965.45	39° 32' 34.100 N	80° 30' 13.110 W
19,531.0	91.80	334.85	7,591.1	10,944.5	-5,357.0	381,478.85	1,716,925.47	39° 32' 34.947 N	80° 30' 13.633 W
19,625.0	91.80	335.07	7,588.2	11,029.7	-5,396.8	381,563.98	1,716,885.71	39° 32' 35.784 N	80° 30' 14.153 W
19,719.0	90.59	334.84	7,586.2	11,114.8	-5,436.5	381,649.12	1,716,845.92	39° 32' 36.621 N	80° 30' 14.672 W
19,813.0	90.93	335.34	7,585.0	11,200.1	-5,476.1	381,734.37	1,716,806.33	39° 32' 37.459 N	80° 30' 15.190 W
19,818.0	90.76	335.18	7,584.9	11,204.6	-5,478.2	381,738.91	1,716,804.24	39° 32' 37.504 N	80° 30' 15.217 W
19,840.0	90.76	335.18	7,584.6	11,224.6	-5,487.5	381,758.87	1,716,795.01	39° 32' 37.700 N	80° 30' 15.338 W

Projection To TD=19840.0_7283.2 TVD

Design Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
Tesla 9H_(1)Surface Ho - actual wellpath hits target center - Point	0.00	0.00	0.0	0.0	0.0	370,534.31	1,722,282.47	39° 30' 47.365 N	80° 29' 3.722 W
Tesla 9H_(4)Bottom Holi - actual wellpath hits target center - Point	0.00	360.00	7,584.6	11,224.6	-5,487.5	381,758.87	1,716,795.01	39° 32' 37.700 N	80° 30' 15.338 W
Tesla 9H_(2)Landing Po - actual wellpath hits target center - Point	0.00	360.00	7,731.8	579.1	-527.6	371,113.40	1,721,754.91	39° 30' 53.031 N	80° 29' 10.534 W
Tesla 9H_(3)Deepest Pc - actual wellpath hits target center - Point	0.00	0.00	7,734.7	664.8	-568.5	371,199.09	1,721,713.99	39° 30' 53.873 N	80° 29' 11.068 W





Tesla
Tesla 9H As Drilled
KB@28 @ 1348.0usft
Wetzel County, WV
Main

PROJECT DETAILS:
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: West Virginia North 4701
System Datum: Mean Sea Level



WELL DETAILS: Tesla 9H L-004774

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
0.0	0.0	370534.32	1722282.47	39° 30' 47.365 N	80° 29' 3.722 W



G Azimuths to Grid North
True North: 0.63°
Magnetic North: -8.25°
Magnetic Field
Strength: 51596.9nT
Dip Angle: 66.22°
Date: 3/3/2025
Model: USER DEFINED

AS DRILLED DETAILS

Name	TVD	Latitude	Longitude
Tesla 9H_(1)Surface Hole	0.0	39° 30' 47.365 N	80° 29' 3.722 W
Tesla 9H_(2)Landing Point	7731.8	39° 30' 53.031 N	80° 29' 10.534 W
Tesla 9H_(3)Deepest Point Of Well	7734.7	39° 30' 53.873 N	80° 29' 11.068 W
Tesla 9H_(4)Bottom Hole	7584.6	39° 32' 37.700 N	80° 30' 15.338 W