



New Location
 Drill Deeper
 Abandonment

Map Sheet 73 - Square 326 W14 - FB 722 P. 25

Company Hope Construction & Refining Co.
 Address Clarksburg, W. Va.
 Farm Zeta O. Lively
 Tract _____ Acres 37 Lease No. 34374
 Well (Farm) No. 1 Serial No. 835
 Elevation (Spirit Level) 1080
 Quadrangle Holbrook
 County Gilmer District Troy
 Engineer W. M. Bowers
 Engineer's Registration No. 900
 File No. _____ Drawing No. _____
 Date July 22, 1942 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. GIL-182-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown
 - Denotes one-inch spaces on border line of original tracing.

Troy District, Gilmer County, W. Va.
 By Hope Construction & Refining Co., 445 W. Main St., Clarksburg, W. Va.
 Abandoned under permit Gil-182-A.

On 37 acres.

Elevation, 1080' L.

Drilling commenced Oct. 14, 1922; completed, Dec. 13, 1922.

Shot Feb. 10, 1923, at 2386-2393', with 20 qts.

No water recorded.

10" casing, 220'; 8 $\frac{1}{4}$ ", 928'; 6 $\frac{5}{8}$ ", 1964'; 2" tubing, 2364'; all left in.

Casing not cemented.

No coal was encountered.

Oil well. Abandonment reported to Dept. of Mines Sept. 2, 1942.

Record to RCT from Mrs. Griffith Dec. 19, 1942.

	Top.	Bottom.
Little Dunkard Sand	760	- 805
Big Dunkard Sand	845	- 875
Gas Sand	1150	- 1180
Sand	1220	- 1240
First Salt Sand	1346	- 1406
Second Salt Sand	1475	- 1515
Third Salt Sand (gas, 1600-1610')	1585	- 1620
Sand	1690	- 1720
Maxton Sand	1730	- 1750
Little Lime	1894	- 1916
Pencil Cave	1916	- 1922
Big Lime	1922	- 1995
Big Injun Sand	1995	- 2095
Squaw Sand	2190	- 2230
Berea Sand (oil, 2387-2393')	2376	-
Total depth		2396

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

932

WELL RECORD

Permit No. 187-A

Oil or Gas Well Oil
(KIND)

Company Hope Construction & Refining Company
Address 445 West Main St. Clarksburg W. Va.
Farm 21 G. Lively Acres 37
Location (waters)
Well No. 835 Elev. 1080
District Troy County Gilmer

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	220	220	Size of
8 1/4	928	928	
6 5/8	1964	1964	Depth set
5 3/16			
3			Perf. top
2	2364	2364	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

The surface of tract is owned in fee by
Address
Mineral rights are owned by
Address
Drilling commenced Oct. 14, 1922
Drilling completed Dec. 13, 1922
Date Shot 2/10/23 From 2386 To 2393
With 20 qts

Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water None recorded feet
Salt water None recorded feet

CASING CEMENTED SIZE No. Ft. Date
Not Cemented
COAL WAS ENCOUNTERED AT FEET INCHES
No Coal
FEET INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Little Dunkard			760	805			
Big Dunkard			845	875			
Gas Sand			1150	1180			
Sand			1220	1240			
First Salt			1346	1406			
Second Salt			1475	1515			
Third Salt			1565	1620	Gas	1600-1610	
Sand			1690	1720			
Maxon			1730	1750			
Little Lime			1894	1916			
Pencil Cave			1916	1922			
Big Lime			1922	1995			
Big Injun			1995	2095			
Squaw			2190	2230			
Berea			2376		Oil	2387-2393	
Total Depth				2396			

