

Latitude 38° 55' 00"

Longitude 80° 42' 30"



1452
0.85W

Topo Location

7.5' Loc. _____ 15' Loc. _____
(calc.) _____

Company _____

Farm C.S. Hudnall # 1

15' Quad _____
(sec.)

7.5' Quad Gilmer

District Glennville

WELL LOCATION PLAT

County 021 Permit 70035

No. 17 O.F. - Gilmer

Glenville District, Gilmer County, W. Va.
J. K. Guffey. (Guffey and Galey).
On Slidinghill Run, $\frac{1}{2}$ mi. E. of Steats Mills.
Elevation, 750' E.

	Top.	Bottom.
Gravel	0	25
Limestone	25	40
Red rock	40	50
Limestone	50	60
Red rock	60	65
Slate	65	92
Pittsburgh Coal	92	101
Limestone	101	130
Slate	130	132
Sand, Lower Pittsburgh	132	200
Red rock	200	207
Slate	207	212
Limestone	212	245
Red rock	245	255
Slate	255	260
Red rock	260	290
Sand, Morgantown	290	355
Slate, break	355	357
Sand, hard	357	375
Slate	375	380
Limestone	380	385
Sand, hard, Orafton	385	416
Slate	416	426
Coal, Harlow	426	429
Limestone	429	446
Red rock	446	450
Slate	450	455
Red rock	455	495
Limestone	495	510
Slate	510	520
Pink rock	520	555
Limestone	555	570
Sand, Buffalo	570	590
Slate	590	620
Pink rock	620	640
Slate	640	650
Dunkard Sand (Mahoning)	650	715
Limestone	715	730
Sand, Upper F ₂ report	730	795
Sand and shell	795	840
Sand, Lower F ₂ report	840	875
Coal, Lower Kittanning	875	880
Sand)	880	910
Slate, break) Clarion	910	912
Sand)	912	980
Slate	980	983
Sand)	983	1007
Slate, break) Homewood	1007	1010
Sand	1010	1052
Slate, shell	1052	1100
Slate, black	1100	1120
Slate and shell	1120	1146

(OVER)

C. S. HUDNALL NO. 1 WELL (Continued).

	Top.	Bottom.
Sand and shell	1146	- 1155
Limestone, blue	1155	- 1175
Sand, Salt	1175	- 1187
Slate and shell	1187	- 1323
Sand, black	1323	- 1329
Sand, gray, Salt	1329	- 1416
Slate, black	1416	- 1528
Sand, white, Salt	1528	- 1538
Slate, black	1538	- 1588
Sand, white (base Pottsville) (Salt)	1588	- 1656
Slate, white	1656	- 1666
Red rock	1666	- 1678
Slate and shell	1678	- 1688
Red rock	1688	- 1698
Limestone, hard	1698	- 1708
Slate and shell	1708	- 1718
Limestone	1718	- 1728
Slate and shell	1728	- 1758
Limestone	1758	- 1770
Limestone, sandy	1770	- 1780
Sand, Harton	1780	- 1800
Slate, black	1800	- 1805
Big Linc	1805	- 1865
Keener Sand	1865	- 1875
Limestone, hard	1875	- 1885
Big Injun Sand	1885	- 1990
Slate, break	1990	- 1997
Sand, Squaw	1997	- 2050
Limestone, sand	2050	- 2080
Slate and shell	2080	- 2150
Slate, black	2150	- 2175
Sand shell	2175	- 2180
Slate, dark	2180	- 2220
Sand, black, Berea	2220	- 2240
Slate and shell	2240	- 2405
Red rock	2405	- 2410
Slate and shell	2410	- 2495
Sand, Gordon	2495	- 2502
Slate and shell	2502	- 2585
Red rock	2585	- 2595
Slate and shell	2595	- 2655
Fifth Sand (oil)	2655	- 2667
Total depth		2672