

LATITUDE 39 42 30

80 47 30

LONGITUDE

OGIS
7.5' loc

7.5 OGIS topo location

7.5' loc	<u>1.37S</u>	15' loc	<u>4.25S</u>
	<u>1.06W</u>	(calc.)	<u>3.28W</u>

Company _____

Farm _____

Quad New Martinsville 415' NE

County _____

District Proctor

WELL LOCATION MAP

File No. Wet. 73

WET-73

Proctor District, Wetzel County, W. Va.
By Hannibal Gas Co., Morgantown, W. Va.
Contractor, Null & Snider.
Commenced drilling Aug. 29, 1933; completed, Oct. 7, 1933.
Dry hole. No shows of oil or gas found.
Elevation, 1282' L.
Conductor, 15"; 10" casing, 362'; 8 1/4", 1417'; 6 5/8", 1862';
5 3/8", 2197' 5" (at 5:00 a.m., 9-26-33).

On 208 acres.

Located on eastern sput of Huff Ridge, west of Proctor Creek,
1.7 mi. S. E. of Proctor; 4.42 mi. S. of 39° 45' and 3.37 mi.
W. of 80° 45' - NE - New Martinsville Quadrangle.

Record as made up from log strip from RVH by RCF Sept. 20, 1938.

	Top.	Bottom.
Soil and clay	0	15
Red rock	15	50
Slate and shells	50	125
Sand	125	135
Lime and shells (8-30-33, 5:00 p. m.) (fresh water at 178')	135	178
Red rock	178	190
Slate	190	200
Red rock	200	210
Lime, gritty	210	230
Slate	230	250
Lime	250	260
Slate and shells	260	315
Red rock	315	340
Slate	340	348
Red rock (8-31-33) (10" casing, 362')	348	362
Slate and shells	362	420
Red rock	420	435
Red rock (3:30 p.m., 9-1-33)	435	475
Red rock	475	492
Coal, Washington (eleva., base, +788')	492	494
Lime, white	494	536
Slate, dark	536	560
Lime, light	560	600
Slate, dark	600	652
Red rock	652	660
Slate, light	660	679
Coal, Uniontown (eleva. top, +603')	679	784
Lime, white	684	700
Lime shells	700	725
Red rock	725	740
Lime (6:00 p. m., 9-4-33)	740	785
Lime	785	800
Slate, dark	800	804
Coal	804	805
Slate and lime (fishing, 9-5-33)	805	820
Slate and lime	820	835
Coal	835	836
Lime, hard	836	875
Slate, dark (broke beam, 9-6-33)	875	882
Lime, hard	882	892
Slate and shells	892	905
Coal, Pittsburgh (eleva. top, +377') (OVER)	905	906

C. A. PARSONS NO. 1. WELL (Continued).

	Top.	Bottom.		Top.	Bottom.
Lime shells	906	940	Lime (Little Lime)	1942	1970
Sand, Murphy?, hard	940	964	Slate, dark, soft <i>Penell</i>	1970	1976
Slate (5:00 p. m., 9-8-33)	964	970	Lime (Big Lime)	1976	1993
Red rock	970	975	Lime, sandy (Big Lime)	1993	2033
Lime shells	975	1015	Sand, Big Injun (5:00 p.m., 9-20-33)	2033	2045
Red rock	1015	1025	Sand, Big Injun (5:00 p.m., 9-21-33)	2045	2105
Lime, white	1025	1030	Sand, Big Injun	2105	2125
Red rock	1030	1040	Sand, Big Injun, soft (water?)	2125	2130
Lime, white (7:45 p.m., 9-9-33)	1040	1090	Sand, Big Injun, hard (3:00 p.m., 9-22-33)	2130	2166
Slate	1090	1125	Sand, Big Injun (5 1/8" casing, 2197' 5", 9-25-33)	2166	2200
Lime, white	1125	1140	Sand, Big Injun (9-26-33)	2200	2208
Slate	1140	1145	Sand, Big Injun (eleva. base, -960')	2208	2242
Lime	1145	1165	Slate (12:00 midnight, 9-28-33)	2242	2308
Slate	1165	1195	Slate	2308	2350
Lime	1195	1205	Lime	2350	2405
Red rock	1205	1215	Slate	2405	2415
Lime	1215	1225	Sand, very hard <i>Sigant</i>	2415	2452
Red rock	1225	1230	Lime	2452	2458
Lime	1230	1254	Slate	2458	2480
Slate	1254	1260	Lime	2480	2482
Lime	1260	1265	Slate (5:00 p.m., 10-2-33)	2482	2520
Slate	1265	1275	Lime, hard, white	2520	2555
Red rock	1275	1300	Slate, dark	2555	2615
Lime, hard (5:30 p. m., 9-11-33)	1300	1338	Lime, hard	2615	2637
Slate	1338	1368	Slate, dark	2637	2695
Lime	1368	1370	Red rock (4:00 p.m., 10-4-33)	2695	2700
Slate	1370	1405	Red rock	2700	2735
Lime, broken	1405	1410	Slate	2735	2739
Slate (8 1/2" casing, 1417')	1410	1417	Lime	2739	2749
Lime, hard	1417	1428	Red rock	2749	2755
Slate	1428	1430	Slate	2755	2768
Lime, hard (5:00 p. m., 9-13-33)	1430	1470	Lime shells	2768	2786
Lime, hard	1470	1480	Slate	2786	2855
Slate	1480	1485	Lime, gritty, sandy (SIM)	2855	2857
1st Salt Sand (SIM at 1490') - <i>Coas Sand</i>	1485	1540	Lime, gritty, sandy	2857	2862
Slate and shells	1540	1600	Slate	2862	2866
Slate and shells	1600	1612	Lime, gritty (SIM)	2866	2870
Sand, white	1612	1620	Sand, hard <i>Abdun</i>	2870	2875
Slate, dark	1620	1660	Sand, hard, broken	2875	2897
Sand, 2nd Salt <i>SI</i>	1660	1665	Slate	2897	2944
Sand, 2nd Salt (4 bailers water per hour at 1680-1684')	1665	1735	Lime, sandy, or sand, limy (4:00 p. m., 10-7-33)	2944	2955
Slate, dark	1735	1755	Slate and lime (6:00 p.m., 10-7-33)	2955	2960
3rd Salt Sand <i>2nd</i>	1755	1775	Total depth		2960
Slate, light and dark	1775	1823			
Sand, light, hard <i>2nd</i>	1823	1843			
Slate, dark	1843	1857			
Sand, gray, Maxton (6 5/8" casing, 1862') (1 1/2 bailers salt water per hour at 1915-19')	1857	1927			
Slate, dark	1927	1942			