



Company	Carnegie Natural Gas Co.
Address	1014 Frick Bldg., Pittsburgh, Pa.
Farm	J.E. Kimble
Tract	Acres 22 Lease No. 9077-72
Well (Farm) No.	No. 2 Serial No. 1332
Elevation (Spirit Level)	940
Quadrangle	Mannington <i>(NW)</i>
County	Wetzel District Church
Engineer	G.H. Huey
Engineer's Registration No.	
File No.	Drawing No.
Date	July 21, 1937 Scale 1"-400'

STATE OF WEST VIRGINIA
 Department of Mines
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

File No. WET-164

Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

240

WELL RECORD

Permit No. Wet - 164

DRILLING DEEPER RECORD

Oil or Gas Well Gas
(Kind) Imp. Well

Company Carnegie Natural Gas Company
Address 1014 Frick Building Pittsburgh, Pa.
Farm Mrs J. E. Kimble Acres 25
Location (waters) Branch of Fish Creek
Well No. 2-1332 Elev. 940
District Church County Wetzel
The surface of tract is owned in fee by A. F. Bohn
Address Hundred W Va
Mineral rights are owned by J. Kirby
Address Littleton W Va
Drilling commenced August 12, 1937
Drilling completed August 16, 1937
Date shot ----- Depth of shot -----
Open Flow /10ths Water in ----- Inch
/10ths Merc. in ----- Inch
Volume ----- Cu. Ft.
Rock Pressure ----- lbs. ----- hrs.
Oil ----- bbls., 1st 24 hrs.
Fresh water ----- feet ----- feet
Salt water ----- feet ----- feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.			Kind of Packer
13.			
10.			Size of
8 1/4.			
6 5/8.			Depth set
5 3/16.	683	683	
3.			Perf. top
2.			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 5-3/16 SIZE 683 No. FT. 6/8/37 Date
COAL WAS ENCOUNTERED AT ----- FEET ----- INCHES
----- FEET ----- INCHES ----- FEET ----- INCHES
----- FEET ----- INCHES ----- FEET ----- INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
COMMENCED DRILLING DOWN AT			770'				
Slate	Dark	Soft	770'	785'			
Red Rock	Red	Soft	785'	790'			
Lime	White	Hard	790'	800'			
Slate	Light	Soft	800'	808'			
Sand	White	Hard	808'	823'			
Slate	Dark	Soft	823'	840'			
Red Rock	Red	Soft	840'	855'			
Mud	White	Soft	855'	865'			
Pink Rock	Pink	Soft	865'	880'			
Gritty Lime	Grey	Hard	880'	895'			
Slate	Light	Soft	895'	930'			
Red Rock	Red	Soft	930'	940'			
Slate	White	Soft	940'	951'			
Lime	White	Hard	951'	965'			
Rock	Red	Soft	965'	1007'			
Total Depth				1007'			

1007
770
237

DRY HOLE AND NOTICE OF INTENTION TO PLUG AND ABANDON ATTACHED HERETO



