



#7	0.05 S
	1.89 W
#8	0.10 S
	2.02 W

Elevation ●⁷ S. H. Wiley { Floor - 1174.26
Ground - 1172.96

Elevation ●⁸ S. H. Wiley { Floor - 1275.18
Ground - 1273.28

Surface: ●⁷ S. H. Wiley, Arthur Henthorn, Piney, W. Va.

Surface: ●⁸ S. H. Wiley, A. G. Knight, Piney, W. Va.

Coal: No commercial Coal, if any, it belongs to the owners of the surface.

- New Location...
- Drill Deeper...
- Abandonment...

On 800 Map Sheet N57, Sqs. N4 W4 & 5.

Company Randall-Zogg Supply Co.
 Address Owensboro, Ky.
 Farm S. H. Wiley
 Tract _____ Acres 132 Lease No. _____
 Well (Farm) Nos. 7 & 8, Serial No. _____
 Elevation (Spirit Level) See above for Elev.
 Quadrangle Centerpoint
 County Wetzel District Green
 Engineer Glen H. Huey C.E.M.E.
 Engineer's Registration No. 2811
 File No. _____ Drawing No. _____
 Date Sept. 30th, 1948 Scale 1" = 800 Feet

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Wet-760-A-#7
Wet-761-A-#8

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1192

WELL RECORD

Permit No. Ab 760-A

Oil or Gas Well **OIL**

Company RANDALL-ZOGG SUPPLY COMPANY
Address BOX 526, CHARLESTON, 22 W. VA.
Farm Saul H. Wiley Acres 132
Location (waters) Piney Fork
Well No. Seven (7) Elev. 1172.96
District Green County Wetzel
The surface of tract is owned in fee by Arthur Henthorn,
Address Piney, W. Va.
Mineral rights are owned by Arthur Henthorn
Address Piney, W. Va.

Drilling commenced _____
Drilling completed January 30th, 1901
Date Shot See Below From _____ To _____
With _____

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 25 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	600'		Size of
8 1/4	1390'		
6 5/8	2432'	2432'	Depth set
5 3/16	1860'	1860'	
3			Perf. top
2	3025'	3025'	Perf. bottom
Liners Used			Perf. top
5 3/16"	290'	290'	Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 900 FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			900'				
Big Injun Sand			2225'	2386'			
Stray Sand			2973'	3000'	Gas	2975'	
Gordon Sand			3007'	3015'	Oil	3015'	
Total Depth				3043'			

SHOT RECORD

July 28, 1902 Shot with 60 Qts.
July 22, 1910 " " 80 "

NOTE - Put in 159' of 5-3/16" hung on C. C. Packer top 2850'. 131' of 5-3/16" casing hung on C. C. Packer top 2581', 1538' of 5-3/16" casing on Callahan Wall Packer. All 1538' of 5-3/16" casing pulled Jan. 1st, 1911. Set 46' 2" on top of top liner packer. Put in 1860' of 5-3/16" casing on 5-3/16" x 6-5/8" Callahan Wall Packer. Jan. 23, 1911. May 1931: Pitman broke and piled up the tubing, about 30 jts. left in shot hole.



